Subject and Name of Member introducing it.	Summary of discussion.	Reply of Government.
	drawn from it. The katte may therefore be repaired.	
Subject No. 401. **Railway communication from Mysore to Mercara.** **Mr. Kazi Mahomed Hussen Ali of Hunsur**	Railway communication may be opened from Mysore to Mercara as much traffic passes between these stations. The matter seems to have been already represented by Mr. Hay, Municipal Member, and he was informed that a line would be opened.	Noted.
Subject No. 402. **Timely supply of water to Karigala tank. Mr. Belathur Lakshminaranappa of Heggaddevankote Taluk.**	The Hanumanthapur channel, Hanagode series, does not afford timely irrigation to the lands depending on it in the Heggaddevankote Taluk, as the supply in it is indiscriminately cut off by the holders of the lands at the upper portions of the channel in the Hunsur Taluk, and the Karigala and Hulehundi tanks are thereby prevented from receiving their supply from the channel. The raiyats of the Heggaddevankote Taluk, whose lands lie at the tail end of the channel, could not begin their cultivation this year till the beginning of August owing to the non-supply of water to the aforesaid tanks up to the end of July last. With a view to remove this inconvenience and the consequent loss to the raiyats, it is requested that the Hanumanthapur and Uddur channels may be closed to land-holders for a week so as to fill the Karigala tank which is capable of irrigating 2,000 acres of land, or a Bidagandi may be opened in each of the above channels for feeding the Karigala tank through the Heballa.	Referred to D. P. W. for disposal.
Subject No. 403. **Remission of wet rates on lands below Vijayapur tank, or raising its waste-weir.** **Messrs. Kotekere Bhujangaiya and Halehatti Venkata Setty of Gundlupet Taluk.**	The work done to the Vijayapur tank by the Public Works Department has not brought all the lands below it under irrigation. It is being urged since 1896 that the wet assessment on lands which cannot be cultivated with wet crops should be remitted and dry assessment charged instead, or that the kodi of the tank should be raised. An early disposal of this matter is requested.	Will be inquired into by the Deputy Commissioner and D. P. W.